



Dan-MIRROR

SAFETY MIRRORS SINCE 1975

ELITMAT

FOR A BETTER LIFE AT THE WORKPLACE



Dancop has the substantial expertise in creating mirrors that are very solid, highly durable and suitable for nearly every possible situation. In addition to the production of TÜV-certified mirrors, Dancop is selling impact protection products that really help to protect people, inventory and facility against damages.

We have made it our business, to make your workplace environment safer.

We see ourselves as experts within people's safety, and as your trusted advisor, and **together we create safety.**

For more information or a customized consultation, please contact us.



TRAFFIC MIRRORS



01 TM TRAFFIC MIRROR



Our TM-mirror is equipped with a white frame with red reflecting RA2 foil for a better visibility on the streets.

The back side: 4-point fixing with ball joint for an optimal fixation. Included in scope of delivery.



**Details see page 16*



02 TM-B INOX ICE-FREE TRAFFIC MIRROR

The combination of the INOX mirror surface and the built-in special cushions in the back prevent ice formation on the mirror surface.

Please be aware that our ice-free mirror can fog-up in cases of fast arising and freezing fog, or in exceptionally cold periods without temperature fluctuations.

4-point fixing with ball joint for an optimal fixation. Included in scope of delivery.

**Details see page 16*



03 TM-I TRAFFIC MIRROR

Our TM-I mirror increases the safety in private and industrial areas. Parking lots, private driveways, shopping centers, and railway platforms are popular operation sites as well. The red frame further enhances the visibility.

4-point fixing with ball joint for an optimal fixation. Included in scope of delivery.

**Details see page 16*



04 MULTI USE MIRROR UNI-SIG

The UNI-SIG mirror is an economic alternative, used in areas with limited sight: in parking lots, garage exits, and shopping centers.

Rear side 2-point universal mount. Horizontal and vertical locking possible. Included in scope of delivery.

**Details see page 17*

TRAFFIC MIRRORS



05 TRAFFIC MIRROR EXPLORER

The Explorer wide angle mirror with its convexity of 180° ensures an optimum field of vision. It is ideal to get an overview of production areas or traffic.

**Details see page 17*

Rear side 2-point universal mount. Horizontal and vertical locking possible. Included in scope of delivery (EXPLORER)



06 SUBWAY

Both mirrors have an especially wide angle of 180° which provides an enlarged view.

The two 180° versions vary in construction. The SUBWAY-mirror can be mounted not only on posts but directly on the wall as well, by means of the fixing ring. This way it can be seamlessly integrated in underground stations, underpasses and parking garages, making dark corners safer.

The PANORAMA-mirror additionally disposes of a white frame with green reflectors for better visibility during night-time or bad weather conditions.

Material: The nearly indestructible polycarbonate makes these the perfect mirrors for areas with much vandalism.

**Details see page 17*

07 PANORAMA

08 BLACK & WHITE MIRROR

The TM-F premium safety mirror is designed to fit French specifications. It complies with the French decree of September 21, 1981, making street traffic safer.

It is certified for wind force 12 on the Beaufort scale (hurricane > 117 km/h).



**Details see page 18*



09 TRIXI-MIRROR



Our wide-angle traffic mirror Trixi helps gain view of blind spots on crossroads where cyclists and pedestrians are in danger of accidents. When turning, drivers see pedestrians or cyclists in the dangerous blind spot where otherwise they would have been overlooked.

Standard fixing (incl. adaptor). Included in scope of delivery.



*Details see page 18

INDUSTRIAL MIRRORS



10 INDUSTRIAL MIRROR CHECK POINT

Our check point mirror increases attention in hazardous areas of production lines. Distant workstations and blind spots are easily inspected. Workplace accidents and loss of production are effectively reduced.

Telescopic bracket 30 - 50 cm. Included in scope of delivery.

**Details see page 18*



11 CHECK MIRROR

This check mirror has been developed specifically for supervising production lines. The concavity of the mirror enlarges the reflection and control by one person is possible. One-meter distance between product and mirror is recommended.

Standard bracket Telescopic wall bracket for optimal adjustment. Included in scope of delivery.

**Details see page 19*



12 SM OBSERVATION MIRROR

The massive construction ensures long-term use both in- and outdoors. The various sizes enable a wide range of application.

Telescopic wall mount 30 - 50 cm. Included in scope of delivery.

**Details see page 19*




13 EC OBSERVATION MIRROR

The combination of the INOX mirror surface and the built-in special cushions in the back prevent ice formation on the mirror surface.

Please be aware that our ice-free mirror can fog-up in cases of fast arising and freezing fog, or in exceptionally cold periods without temperature fluctuations.

4-point fixing with ball joint for an optimal fixation. Included in scope of delivery.

**Details see page 19*



14 INOX INDUSTRIAL MIRROR

Heat resistant up to 350°C with detachable PVC frame.

This mirror is made of non-corrosive INOX so it can be used in high temperature areas as well as in the food industry. The PVC frame can be removed after installation.

Telescopic wall bracket 30 - 50 cm. Included in scope of delivery.

**Details see page 20*



15 TRANSPO 180° MIRROR

Our mirror Transpo grants a 180° view so that wide areas can be overseen. The massive construction ensures long-term use.

Telescopic wall mount 30 - 50 cm. Included in scope of delivery.

**Details see page 20*

INDUSTRIAL MIRRORS



16 TRANSPO AC 25

For the safety of forklift-drivers. Ideal as a rear-view mirror for forklift trucks.

The mirror increases the safety of both forklift driver and pedestrians. The clear representation facilitates a quick grasp of the situation. Via ball joint mounting bracket, the mirror is adjustable at a 180° angle.

Ball joint mount.
Included in scope of delivery.
**Details see page 20*



17 FLAT MIRROR ACRYL

Our multi-use flat mirror was designed for shops and commerce. The mirror is made of acrylic with an aluminum frame. It can be installed directly on the wall or hanging from the ceiling via chains (separately available).

**Details see page 20*




18 CHECK OUT MIRROR


The check out mirror was developed to effectively check “dead areas”. The fixing can be adjusted as per your needs.

Mounting included in scope of delivery.

**Details see page 21*



19 DOME MIRROR 360°



Use of the different mirror variants.

Due to the 360° overview, our globe mirror is recommended for surveillance in industrial areas. It helps prevent accidents at crossroads with forklift circulation. It can be hung with chains or directly screwed onto the ceiling.



Chain set for ceiling mounting. Included in scope of delivery.

*Details see page 21



DOME MIRROR 180°


**Details see page 21*



DOME MIRROR 90°

20 DOME MIRROR 180° & 90°

Our globe mirrors 90° and 180° give a global overview at T-junctions and other hazardous areas. These mirrors make the traffic movements visible in workplaces thus reducing the risk of injuries. The mirrors are directly fixed to the wall or ceiling.





21 INSPECTION MIRROR



**Details see page 22*

Our inspection mirror allows to check even parts of vehicles and machines that are difficult to access. It's equipped with LED lighting and can be used night and day. Its low weight allows for easy handling and carrying.

Now available with matching transport case, fitting all versions for even easier handling and protection of the mirror.





22 EUVEX TRAFFIC MIRROR

The EUvex traffic mirror increases safety on roads and premises. Due to its robust design it is suitable for long term outdoor use. The type RA2 reflectors ensure good visibility, even in bad weather conditions.

Material:

The EUvex mirror surface is made of PMMA and equipped with red reflectors (Type RA2) on a white frame. It is UV-stable and weather-resistant.

**Details see page 22*



23 EUVEX UNIVERSAL MIRROR

The EUvex universal mirror is equipped with a white frame and very versatile.

Material

The EUvex universal mirror surface is made of PMMA, UV-stable and weather-resistant.

The backplate comes with a standard fixing for posts. Included in scope of delivery.

**Details see page 22*



24 EUVEX INDUSTRIAL MIRROR

The EUvex industrial mirror is equipped with its yellow-black frame heightens the attention in industrial areas, both in- and outdoors. Thus, accidents are effectively reduced, and the facility remains operational.

Material:

The mirror surface is made of PMMA, UV-stable and weather-resistant. The frame is yellow with black warning marks. Standard fixing to the post. Included in scope of delivery.

**Details see page 23*

25 EUVEX SURVEILLANCE MIRROR

The EUvex observation mirror can be used to monitor production or sales areas. With its distortion-free reproduction it helps prevent accidents and thefts.

Material:

The mirror surface is made of PMMA for long term use.

Fixing Bracket:

The included flexible fixing bracket as well as the clamp enable easy mounting.

**Details see page 23*

26 EUVEX MIRROR BLACK & WHITE

This mirror is an optimum means of preventing road accidents. The perfection of the acrylic mirror plate and the sturdiness of its two-point attachment represent a very attractive value for money for protection product experts and all road users.

The mirror plate comes with a 1-year UV warranty. The mirror has 2-year warranty.

**Details see page 23*



01 TRAFFIC MIRRORS

01 TM TRAFFIC MIRROR

Art. No.	Material	Dimensions	Viewing distance
TM AC 60	Acrylic	ø 60 cm	9 - 15 m
TM AC 80	Acrylic	ø 80 cm	15 - 22 m
TM AC 40 X 60	Acrylic	40 x 60 cm	9 - 15 m
TM AC 60 X 80	Acrylic	60 x 80 cm	15 - 22 m
TM AC 80 X 100	Acrylic	80 x 100 cm	22 - 27 m
TM AC 100 X 120	Acrylic	100 x 120 cm	27 - 32 m
TM PC 60	Polycarbonate	ø 60 cm	9 - 15 m
TM PC 80	Polycarbonate	ø 80 cm	15 - 22 m
TM PC 40 X 60	Polycarbonate	40 x 60 cm	9 - 15 m
TM PC 60 X 80	Polycarbonate	60 x 80 cm	15 - 22 m
TM PC 80 X 100	Polycarbonate	80 x 100 cm	22 - 27 m
TM INOX 60	Inox	ø 60 cm	9 - 15 m
TM INOX 80	Inox	ø 80 cm	15 - 22 m
TM INOX 40 X 60	Inox	40 x 60 cm	9 - 15 m
TM INOX 60 X 80	Inox	60 x 80 cm	15 - 22 m



02 TM-B INOX ICE-FREE TRAFFIC MIRROR

Art. No.	Material	Dimensions	Viewing distance
TM-B INOX 60	Inox	ø 60 cm	9 - 15 m
TM-B INOX 80	Inox	ø 80 cm	15 - 22 m
TM-B INOX 40 X 60	Inox	40 x 60 cm	9 - 15 m
TM-B INOX 60 X 80	Inox	60 x 80 cm	15 - 22 m




03 TM-I TRAFFIC MIRROR

Art. No.	Material	Dimensions	Viewing distance
TM-I AC 50	Acrylic	ø 50 cm	5 - 7 m
TM-I AC 60	Acrylic	ø 60 cm	9 - 15 m
TM-I AC 80	Acrylic	ø 80 cm	15 - 22 m
TM-I AC 40 X 60	Acrylic	60 x 80 cm	9 - 15 m
TM-I AC 60 X 80	Acrylic	60 x 80 cm	15 - 22 m



04 MULTI USE MIRROR UNI-SIG

Art. No.	Material	Dimensions	Viewing distance
US TYP1 40 X 60	Acrylic	40 x 60 cm	5 - 7 m
US TYP1 60 X 80	Acrylic	60 x 80 cm	9 - 15 m
US TYP1 80 X 100	Acrylic	80 x 100 cm	15 - 22 m




05 TRAFFIC MIRROR EXPLORER

Art. No.	Material	Dimensions	Viewing distance
EXPLORER 60	Acrylic	ø 60 cm	9 - 15 m
EXPLORER 80	Acrylic	ø 80 cm	15 - 22 m



06 SUBWAY

Art. No.	Material	Dimensions	Viewing distance
SUBWAY-W	Steel ring for wall fixing		
SUBWAY	Polycarbonate	ø 60 cm	9 - 15 m



07 PANORAMA

Art. No.	Material	Dimensions	Viewing distance
TM PC 360	Polycarbonate	ø 60 cm	15 - 22 m



08 BLACK & WHITE MIRROR

Art. No.	Material	Dimensions	Viewing distance
TM F AC 40 X 60	Acrylic	40 x 60 cm	9 - 15 m
TM F AC 60	Acrylic	ø 60 cm	9 - 15 m
TM F AC 60 X 80	Acrylic	60 x 80 cm	15 - 22 m
TM F PC 40 X 60	Polycarbonate	40 x 60 cm	9 - 15 m
TM F PC 60	Polycarbonate	ø 60 cm	9 - 15 m
TM F PC 60 X 80	Polycarbonate	60 x 80 cm	15 - 22 m
TM F INOX 40 X 60	Inox	40 x 60 cm	9 - 15 m
TM F INOX 60	Inox	ø 60 cm	9 - 15 m
TM F INOX 60 X 80	Inox	60 x 80 cm	15 - 22 m
TM-F B INOX 40 X 60	Inox	40 x 60 cm	9 - 15 m
TM-F B INOX 60	Inox	ø 60 cm	9 - 15 m
TM-F B INOX 60 X 80	Inox	60 x 80 cm	15 - 22 m
TM-F H PC 40 X 60	Polycarbonate	40 x 60 cm	9 - 15 m
TM-F H PC 60 X 80	Polycarbonate	60 x 80 cm	15 x 22 m



09 TRIXI-MIRROR

Art. No.	Material	Dimensions	Viewing distance
TRIXI 35	Acrylic	ø 35 cm	1 - 4 m
TRIXI 50	Acrylic	ø 50 cm	5 - 7 m
TRIXI 50-H	Acrylic with heating	ø 50 cm	5 - 7 m



10 INDUSTRIAL MIRROR CHECK POINT

Art. No.	Material	Dimensions	Viewing distance
CP 30 X 50	Acrylic	30 x 50 cm	5 - 7 m
CP 40 X 60	Acrylic	40 x 60 cm	7 - 12 m
CP 60 X 90	Acrylic	60 x 90 cm	12 - 25 m
Bracket I	4-point ball joint bracket for wall and post mounting (ø 50 - 85 mm)		
Bracket IV	Universal bracket for wall and post mounting (ø 50 - 85 mm)		



11 CHECK MIRROR

Art. No.	Material	Dimensions	Viewing distance
CM 30 X 50	Acrylic	30 x 50 cm	1 m
CM 40 X 60	Acrylic	40 x 60 cm	1 m
CM 60 X 90	Acrylic	60 x 90 cm	1 m



12 SM OBSERVATION MIRROR

Art. No.	Material	Dimensions	Viewing distance
SM 35	Acrylic	ø 35 cm	1 - 4 m
SM 50	Acrylic	ø 50 cm	5 - 7 m
SM 60	Acrylic	ø 60 cm	9 - 15 m
SM 80	Acrylic	ø 80 cm	15 - 22 m
SM 40 X 60	Acrylic	40 x 60 cm	9 - 15 m
SM 60 X 80	Acrylic	60 x 80 cm	15 - 22 m



13 EC OBSERVATION MIRROR

Art. No.	Material	Dimensions / Use	Viewing distance
EC-RS 30	Acrylic	ø 30 cm / indoor	1 - 4 m
EC-RS 40	Acrylic	ø 40 cm / indoor	1 - 5 m
EC-RS 50	Acrylic	ø 50 cm / indoor	5 - 7 m
EC-RS 60	Acrylic	ø 60 cm / indoor	9 - 15 m
EC-RS 70	Acrylic	ø 70 cm / indoor	12 - 17 m
EC-RS 80	Acrylic	ø 80 cm / indoor	15 - 22 m
EC-RS 40 X 60	Acrylic	40 x 60 cm / indoor	1 - 5 m
EC-RS 60 X 80	Acrylic	60 x 80 cm / indoor	9 - 15 m
EC-US 30	Acrylic	ø 30 cm / outdoor + indoor	1 - 4 m
EC-US 40	Acrylic	ø 40 cm / outdoor + indoor	1 - 5 m
EC-US 50	Acrylic	ø 50 cm / outdoor + indoor	5 - 7 m
EC-US 60	Acrylic	ø 60 cm / outdoor + indoor	9 - 15 m
EC-US 70	Acrylic	ø 70 cm / outdoor + indoor	12 - 17 m
EC-US 80	Acrylic	ø 80 cm / outdoor + indoor	15 - 22 m




14 INOX INDUSTRIAL MIRROR

Art. No.	Material	Dimensions	Viewing distance
INOX HF 45 X 60	Inox	45 x 60 cm	9 - 15 m
INOX HF 60	Inox	ø 60 cm	9 - 15 m
INOX HF 60 X 80	Inox	60 x 80 cm	15 - 22 m
INOX HF 80	Inox	ø 80 cm	15 - 22 m



15 TRANSPO 180° MIRROR

Art. No.	Material	Dimensions	Viewing distance
TRANSPO AC 45	Acrylic	45 cm	1 - 2 m
TRANSPO AC 60	Acrylic	60 cm	9 - 15 m
TRANSPO AC 80	Acrylic	80 cm	15 - 20 m



16 TRANSPO AC 25

Art. No.	Material	Dimensions	Viewing distance
TRANSPO AC 25-S	Acrylic	25 cm	1 - 2 m



17 FLAT MIRROR ACRYL

Art. No.	Material	Dimensions	Viewing distance
IP AC 30 X 40	Acrylic	30 x 40 cm	1 - 4 m
IP AC 40 X 60	Acrylic	40 x 60 cm	1 - 6 m
IP AC 60 X 80	Acrylic	60 x 80 cm	1 - 6 m
IP AC 30 X 100	Acrylic	30 x 100 cm	1 - 8 m
IP AC 50 X 100	Acrylic	50 x 100 cm	1 - 8 m
IP AC 75 X 100	Acrylic	75 x 100 cm	1 - 10 m



18 CHECK OUT MIRROR

Art. No.	Material	Dimensions	Viewing distance
T 3	Acrylic	36 x 30 x 30 cm	1 - 3 m
T 5	Acrylic	38 x 34 x 34 cm	1 - 3 m



19 DOME MIRROR 360°

Art. No.	Material	Dimensions	Viewing distance
BM 60-3	Acrylic	ø 60 cm	16 - 20 m
BM 80-3	Acrylic	ø 80 cm	21 - 30 m
BM 90-3	Acrylic	ø 90 cm	30 - 40 m
BM 100-3	Acrylic	ø 100 cm	40 - 50 m
BM 125-3	Acrylic	ø 125 cm	50 - 60 m
3095	Chain for BM up to ø 100 cm	4 x 100 cm	
3097	Chain for BM ø 125 cm	4 x 250 cm	



20 DOME MIRROR 180° & 90°

Art. No.	Material	Dimensions	Viewing distance
BM 60-2	Acrylic	ø 60 cm	10 - 15 m
BM 80-2	Acrylic	ø 80 cm	15 - 20 m
BM 100-2	Acrylic	ø 100 cm	25 - 30 m
BM 60-1	Acrylic	ø 60 cm	10 - 15 m
BM 80-1	Acrylic	ø 80 cm	15 - 20 m
BM 100-1	Acrylic	ø 100 cm	25 - 30 m



21 INSPECTION MIRROR

Art. No.	Description	Dimensions
IS 20 X 40	with wheels	20 x 40 cm
IS 25	round	ø 25 cm
IS 35	with wheels, round	ø 35 cm
IS-L 20 X 40	with wheels and light	20 x 40 cm
IS-L 25	with light, round	ø 25 cm
IS-L 35	with wheels and light, round	ø 35 cm
IS-BAG	Protective storage and transport case for Dancop inspection mirrors	



22 EUVEX TRAFFIC MIRROR

Art. No.	Material	Dimensions	Viewing distance
ED 40 X 60	Acrylic	40 x 60 cm	9 - 15 m
ED 60 X 80	Acrylic	60 x 80 cm	15 - 22 m
ED 80 X 100	Acrylic	80 x 100 cm	22 - 27 m
ED 60	Acrylic	ø 60 cm	9 - 15 m
ED 80	Acrylic	ø 80 cm	15 - 22 m
ED-Wandarm	Wall fixing, distance 20 cm		



23 EUVEX UNIVERSAL MIRROR

Art. No.	Material	Dimensions	Viewing distance
ED-U 40 X 60	Acrylic	40 x 60 cm	9 - 15 m
ED-U 60 X 80	Acrylic	60 x 80 cm	15 - 22 m
ED-U 80 X 100	Acrylic	80 x 100 cm	22 - 27 m
ED-U 60	Acrylic	ø 60 cm	9 - 15 m
ED-U 80	Acrylic	ø 80 cm	15 - 22 m
ED-Wandarm	Wall fixing, distance 20 cm		



24 EUVEX INDUSTRIAL MIRROR

Art. No.	Material	Dimensions	Viewing distance
ED-I 40 x 60	Acrylic	40 x 60 cm	9 - 15 m
ED-I 60 x 80	Acrylic	60 x 80 cm	15 - 22 m
ED-I 80 x 100	Acrylic	80 x 100 cm	22 - 27 m
ED-I 60	Acrylic	ø 60 cm	9 - 15 m
ED-I 80	Acrylic	ø 80 cm	15 - 22 m
ED-Wandarm	Wall fixing, distance 20 cm		



25 EUVEX SURVEILLANCE MIRROR

Art. No.	Material	Dimensions	Viewing distance
EF 30	Acrylic	ø 30 cm	1 - 4 m
EF 40	Acrylic	ø 40 cm	1 - 5 m
EF 50	Acrylic	ø 50 cm	5 - 7 m
EF 60	Acrylic	ø 60 cm	9 - 15 m



26 EUVEX MIRROR BLACK & WHITE

Art. No.	Material	Dimensions	Viewing distance
ED-F 40 x 60	Acrylic	40 x 60 cm	9 - 15 m
ED-F 60 x 80	Acrylic	60 x 80 cm	15 - 22 m
ED-F 80 x 100	Acrylic	80 x 100 cm	22 - 27 m
ED-F 60	Acrylic	ø 60 cm	9 - 15 m
ED-F 80	Acrylic	ø 80 cm	15 - 22 m
ED-Wandarm	Wall fixing, distance 20 cm		



ELITMAT

FOR A BETTER LIFE AT THE WORKPLACE



Our references:

SKODA Continental LEONI



MOBIS



MAHLE



Panasonic



JLR




amazon

C&A



www.elitmat.eu



Elitmat s.r.o.
Beckovská 32, Nové Mesto n./Váh.
Slovenská republika
+421 917 979 772
info@elitmat.sk

www.elitmat.sk



Elitmat Czech s.r.o.
Chodovská 228/3, Praha
Česká republika
+420 773 931 555
info@elitmat.cz

www.elitmat.cz



Elitmat GmbH
Seidlgasse 41/9, Wien
Österreich
+43 664 5205 591
info@elitmat.at

www.elitmat.at

