

Description:	Traffic mirror 100x120
Item number:	TM AC 100 X 120
GTIN:	4250912306264
Customs tariff number:	39269097
Mirror plate (cm):	100 x 120
Observation distance (m):	27-32
Width (mm):	120
Height (mm):	1135
Depth/Length (mm):	1335
Material:	Acrylic
Material surface:	UV-resistant impact resistant to DIN ISO 179-1
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	15
Gross weight (kg):	18,5
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.03-4
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror 40x60
Item number:	TM AC 40 X 60
GTIN:	4250912306271
Customs tariff number:	39269097
Mirror plate (cm):	40 x 60
Observation distance (m):	9-15
Width (mm):	45
Height (mm):	555
Depth/Length (mm):	760
Material:	Acrylic
Material surface:	UV-resistant impact resistant to DIN ISO 179-1
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	4,55
Gross weight (kg):	6
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror Ø60
Item number:	TM AC 60
GTIN:	4250912306288
Customs tariff number:	39269097
Mirror plate (cm):	60 Ø
Observation distance (m):	9-15
Depth/Length (mm):	730
Diameter (mm):	730
Material:	Acrylic
Material surface:	UV-resistant impact resistant to DIN ISO 179-1
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	5,13
Gross weight (kg):	6,6
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror 60x80
Item number:	TM AC 60 X 80
GTIN:	4250912306295
Customs tariff number:	39269097
Mirror plate (cm):	60 x 80
Observation distance (m):	15-22
Width (mm):	80
Height (mm):	745
Depth/Length (mm):	940
Material:	Acrylic
Material surface:	UV-resistant impact resistant to DIN ISO 179-1
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	8,75
Gross weight (kg):	10,7
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.02-5
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror Ø80
Item number:	TM AC 80
GTIN:	4250912306301
Customs tariff number:	39269097
Mirror plate (cm):	80 Ø
Observation distance (m):	15-22
Depth/Length (mm):	935
Diameter (mm):	940
Material:	Acrylic
Material surface:	UV-resistant impact resistant to DIN ISO 179-1
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	7,49
Gross weight (kg):	9,8
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror 80x100
Item number:	TM AC 80 X 100
GTIN:	4250912306318
Customs tariff number:	39269097
Mirror plate (cm):	80 x 100
Observation distance (m):	22-27
Width (mm):	100
Height (mm):	970
Depth/Length (mm):	1150
Material:	Acrylic
Material surface:	UV-resistant impact resistant to DIN ISO 179-1
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	12
Gross weight (kg):	14,5
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.03-4
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579




Description:	Traffic mirror 40x60
Item number:	TM INOX 40 X 60
GTIN:	4250912306325
Customs tariff number:	73269098
Mirror plate (cm):	40 x 60
Observation distance (m):	9-15
Width (mm):	60
Height (mm):	615
Depth/Length (mm):	765
Material:	INOX
Material surface:	UV-resistant high temperature and chemical resistance almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	5,85
Gross weight (kg):	11,4
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror Ø60
Item number:	TM INOX 60
GTIN:	4250912306332
Customs tariff number:	73269098
Mirror plate (cm):	60 Ø
Observation distance (m):	9-15
Depth/Length (mm):	730
Diameter (mm):	730
Material:	INOX
Material surface:	UV-resistant high temperature and chemical resistance almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	5,42
Gross weight (kg):	9,7
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror 60x80
Item number:	TM INOX 60 X 80
GTIN:	4250912306349
Customs tariff number:	73269098
Mirror plate (cm):	60 x 80
Observation distance (m):	15-22
Width (mm):	90
Height (mm):	740
Depth/Length (mm):	940
Material:	INOX
Material surface:	UV-resistant high temperature and chemical resistance almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	9
Gross weight (kg):	14
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.02-5
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror Ø80
Item number:	TM INOX 80
GTIN:	4250912306356
Customs tariff number:	73269098
Mirror plate (cm):	80 Ø
Observation distance (m):	15-22
Depth/Length (mm):	940
Diameter (mm):	940
Material:	INOX
Material surface:	UV-resistant high temperature and chemical resistance almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	7,5
Gross weight (kg):	12,2
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror 40x60
Item number:	TM PC 40 X 60
GTIN:	4250912306387
Customs tariff number:	39269097
Mirror plate (cm):	40 x 60
Observation distance (m):	9-15
Width (mm):	60
Height (mm):	560
Depth/Length (mm):	760
Material:	Polycarbonate
Material surface:	UV-resistant non-flammable almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	4,81
Gross weight (kg):	6,4
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror Ø60
Item number:	TM PC 60
GTIN:	4250912306394
Customs tariff number:	39269097
Mirror plate (cm):	60 Ø
Observation distance (m):	9-15
Depth/Length (mm):	730
Diameter (mm):	625
Material:	Polycarbonate
Material surface:	UV-resistant non-flammable almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	5,09
Gross weight (kg):	6,3
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror 60x80
Item number:	TM PC 60 X 80
GTIN:	4250912306400
Customs tariff number:	39269097
Mirror plate (cm):	60 x 80
Observation distance (m):	15-22
Width (mm):	75
Height (mm):	740
Depth/Length (mm):	940
Material:	Polycarbonate
Material surface:	UV-resistant non-flammable almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	8,5
Gross weight (kg):	7,9
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.02-5
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror Ø80
Item number:	TM PC 80
GTIN:	4250912306417
Customs tariff number:	39269097
Mirror plate (cm):	80 Ø
Observation distance (m):	15-22
Depth/Length (mm):	20
Diameter (mm):	930
Material:	Polycarbonate
Material surface:	UV-resistant non-flammable almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	7,5
Gross weight (kg):	9,6
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.01-7
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	Traffic mirror 80x100
Item number:	TM PC 80 X 100
GTIN:	4250912306424
Customs tariff number:	39269097
Mirror plate (cm):	80 x 100
Observation distance (m):	22-27
Width (mm):	1155
Height (mm):	960
Depth/Length (mm):	20
Material:	Polycarbonate
Material surface:	UV-resistant non-flammable almost indestructible
Frame material:	high-impact Polystyrene (HIPS)
Frame colour:	white
Warning mark:	red reflective warning mark
Area of application:	indoor and outdoor use
Net weight (kg):	12,5
Gross weight (kg):	15,1
Mounting location:	wall post
Mounting:	screw together
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	4-point ball joint mounting Art.No.: 747.03-4
Warranty:	5 years
Brand:	Dancop
Approval / Certification:	TÜV-GS and wind load certified
ETIM Class Code:	EC003579



Description:	wall bracket
Item number:	3093
GTIN:	4250912302952
Customs tariff number:	73269098
Height (mm):	565
Depth/Length (mm):	500
Diameter (mm):	60
Net weight (kg):	3,692
Gross weight (kg):	9,921
Material:	Steel
Material surface:	galvanized
Colour:	silver
Area of application:	indoor and outdoor use
Mounting location:	wall
Mounting:	screw together
Delivery is:	pre-assembled
Number of mounting holes:	4
Warranty:	1 year
Brand:	Dancop
ETIM Class Code:	EC003579

